

## Commercial 95 Shadecloth

A mid-weight fabric suitable for applications spanning a wide array of sizes and designs, making Commercial 95 one of the most versatile HDPE shade fabrics in the industry.

|  |   |                                    |               |
|--|---|------------------------------------|---------------|
| Fabric   | 100% Round Monofilament Yarn                        |                                    |               |
| Weight   | 340 gsm   |                                    |               |
| Roll Length/Width                              | 40mt  | 300cm                              |               |
|  | <b>Performance</b>                                  |                                    |               |
| Max Force & Elongation<br>(AS 2001.2.3.1-2001) | Max Force – Warp (mean)<br>Elongation – Weft (mean) | 670 N/50mm 117%<br>2400 N/50mm 83% |               |
| Breaking Force<br>(AS 2001.2.3.1-2001)         | Warp<br>Weft  | 990 N<br>2000 N                    |               |
| Tear Strength<br>(AS 2001.2.3.1-2001)          | Warp<br>Weft  | 184 N<br>347 N                     |               |
| Bursting Pressure                              | 3500 kPa – Hydraulic Diaphragm Method (AS 2001.2.4) |                                    |               |
| Bursting Force                                 | 1937 N – Ball Burst Method (AS 2001.2.19-1988)      |                                    |               |
| Flammability                                   | <i>Flammability Index</i>                           | 12                                 | Range 0 – 100 |
| <b>AS 1530 Pt. 2</b>                           | <i>Ignitability Index</i>                           | 10                                 | Range 0 – 20  |
| <b>AS 1530 Pt. 3</b>                           | <i>Spread of Flame Index</i>                        | 7                                  | Range 0 – 10  |
|  | <i>Heat Evolved Index</i>                           | 5                                  | Range 0 – 10  |
|  | <i>Smoke Developed Index</i>                        | 4                                  | Range 0 – 10  |

### Commercial 95 Colour Range



Colours are a representation and may differ from the actual colours

#### Head Office - Victoria

9A Lakewood Blvd,  
BRAESIDE VIC 3195  
P: 03 9588 8800  
E: paskal@paskal.com.au

#### Queensland

4 Aranda St,  
SLACKS CREEK QLD 4127  
P: 07 3440 7000  
E: qld@paskal.com.au

#### Western Australia

14B Port Kembla Dve,  
BIBRA LAKE WA 6163  
P: 08 9236 3400  
E: wa@paskal.com.au

#### Tasmania

HOBART TAS 7000  
P: 03 6295 2100  
E: tas@paskal.com.au

## Commercial 95 Shadecloth

Commercial 95 340 delivers the utmost in versatility across a wide range of applications.

The most expansive colour assortment in the HDPE shade fabric market. Offering 22 rich, vibrant and on-trend colours to fulfill a wide range of design requirements.

A fabric suitable for applications spanning a wide array of sizes and designs, making Commercial 95 340 one of the most versatile HDPE shade fabrics in the industry.

Industry-leading stentering process provides premium lay flat characteristics

Provides the optimal combination of sun protection, strength and durability to ensure low maintenance and long-life performance.

A mid-weight fabric suitable for a wide array of applications and designs

| Colour          | Cover Factor | Shade Factor | UV-Vis Trans % | UVR Trans % | UVR Block % | UPF Rating | UPF Mean |
|-----------------|--------------|--------------|----------------|-------------|-------------|------------|----------|
| Aquatic Blue    | 96.8         | 90.2         | 9.8            | 6.4         | 93.6        | 15.0       | 32.2     |
| Black           | 98.2         | 97.4         | 2.6            | 2.6         | 97.4        | 35.0       | 59.8     |
| Brunswick Green | 96.2         | 93.9         | 6.1            | 4.9         | 95.1        | 15.0       | 32.6     |
| Cayenne         | 92.0         | 87.0         | 13.0           | 6.0         | 94.0        | 11.0       | 14.7     |
| Cedar           | 94.9         | 87.7         | 13.7           | 6.5         | 93.5        | 18.0       | 19.4     |
| Charcoal        | 94.7         | 94.2         | 5.8            | 5.3         | 94.7        | 11.4       | 23.2     |
| Cherry Red      | 90.1         | 75.3         | 24.7           | 10.7        | 89.3        | 8.8        | 12.1     |
| Desert Sand     | 94.0         | 85.0         | 15.0           | 3.6         | 96.4        | 10.0       | 20.3     |
| Deep Ochre      | 95.1         | 91.3         | 8.7            | 5.6         | 94.4        | 12.1       | 26.3     |
| Gun Metal       | 97.1         | 96.2         | 3.8            | 2.3         | 97.7        | 23.0       | 54.9     |
| Natural         | 97.1         | 74.3         | 25.7           | 3.2         | 96.8        | 35.0       | 62.4     |
| Navy Blue       | 96.2         | 94.4         | 5.6            | 4.8         | 95.2        | 14.7       | 33.3     |
| Rivergum Green  | 94.7         | 85.0         | 15.0           | 7.7         | 92.3        | 12.6       | 20.8     |
| Sky Blue        | 95.2         | 90.4         | 9.6            | 6.2         | 93.8        | 16.0       | 21.3     |
| Steel Grey      | 95.3         | 88.4         | 11.6           | 4.0         | 93.0        | 13.1       | 26.1     |
| Turquoise       | 94.0         | 90.0         | 10.0           | 5.7         | 94.3        | 11.9       | 18.0     |
| Yellow          | 98.3         | 77.2         | 22.8           | 2.9         | 97.1        | 45.0       | 71.3     |

### Head Office - Victoria

9A Lakewood Blvd,  
BRAESIDE VIC 3195  
P: 03 9588 8800  
E: paskal@paskal.com.au

### Queensland

4 Aranda St,  
SLACKS CREEK QLD 4127  
P: 07 3440 7000  
E: qld@paskal.com.au

### Western Australia

14B Port Kembla Dve,  
BIBRA LAKE WA 6163  
P: 08 9236 3400  
E: wa@paskal.com.au

### Tasmania

HOBART TAS 7000  
P: 03 6295 2100  
E: tas@paskal.com.au